Filed: May 6, 2005

Page 2

This listing of the claims replaces all prior versions in the application.

Listing of Claims:

1. (Currently amended) A device for generating an alert signal comprising: positioning means for updating and storing an actual position of the device, comprising:

location storage means for storing the location of a place of interest;

means for storing a request for an alert signal associated with the location of a place of interest; and

<u>first</u> trigger means for comparing the actual position of the device with the location of the place of interest and triggering generation of said alert signal when the distance between the actual position of the device and the location of the place of interest is less than a predetermined value (r);

calendar means for storing calendar entries;

clock means for keeping track of the actual time; and

second trigger means for comparing the actual time with a calendar entry and triggering generation of said alert signal when the actual time matches the calendar entry, but only when the distance between the actual position of the device and the location of the place of interest is less than the predetermined value (r)

wherein the positioning means is configured to update the actual position of the device every time the device has moved a distance.

- 2. (Previously Presented) A device according to claim 1, wherein the predetermined value (r) is variable, and may be set individually for each request for an alert signal.
- 3. (Previously Presented) A device according to claim 1 wherein the location storage means comprises a personal map program.
- 4. (Previously Presented) A device according to claim wherein the location storage means comprises a browser for finding locations on a telecommunications network.
- 5. (Previously Presented) A device according to claim 4 wherein the browser is a WAP browser for finding locations on the Internet.

Filed: May 6, 2005

Page 3

- 6. (Previously Presented) A device according to claim 1, wherein the positioning means further is configured to update the actual position of the device every time the device changes base station.
- 7. (Currently amended) A device according claim 1, wherein the positioning means further is configured to update the actual position of the device at regular time intervals <u>and/or every time the device has moved a distance</u>.
- 8. (Previously Presented) A device according to claim 1, wherein the positioning means further is configured to update the actual position of the device in dependence of the speed of the device.

9. (Canceled)

- 10. (Currently amended) A device according to claim $9 \underline{1}$, wherein the calendar entry matches the actual time once only.
- 11. (Currently amended) A device according to claim $9 \underline{1}$, wherein the calendar entry matches the actual time repeatedly for a specified time unit.
- 12. (Previously Presented) A device according to claim 1, wherein the positioning means comprises a GPS receiver.
- 13. (Previously Presented) A device according to claim 1, wherein the device is a portable telephone, a pager, a communicator, a smart phone, a positioning device or an electronic organiser.
- 14. (Currently amended) A method for generating an alert signal in a device comprising:

storing an actual position of the device;

storing the location of a place of interest;

storing a request for an alert signal associated with the location of a place of interest; comparing the actual position of the device with the location of the place of interest and triggering generation of said alert signal when the distance between the actual position of the

Filed: May 6, 2005

Page 4

device and the location of the place of interest is less than a predetermined value (r); and storing calendar entries;

keeping track of the actual time; and

comparing the actual time with a calendar entry and triggering generation of said alert signal when the actual time matches the calendar entry, but only when the distance between the actual position of the device and the location of the place of interest is less than the predetermined value (r)

updating the actual position of the device every time the device has moved a distance.

- 15. (Previously Presented) A method according to claim 14 wherein the predetermined value (r) is variable, and is set individually for each request for an alert signal.
- 16. (Previously Presented) A method according to claim 14 wherein storing the location of the place of interest comprises storing the location of the place of interest by means of a personal map program.
- 17. (Previously Presented) A method according to claim 14, wherein storing the location of the place of interest comprises storing the location of the place of interest by means of a browser for finding locations on a telecommunications network.
- 18. (Previously Presented) A method according to claim 17, wherein the browser is a WAP browser for finding locations on the Internet.
 - 19. (Previously Presented) A method according to claim 14, further comprising: updating the actual position of the device every time the device changes base station.
- 20. (Currently amended) A method according to claim 14, further comprising: updating the actual position of the device every time the device changes base station at regular time intervals and/or every time the device has moved a distance.
- 21. (Currently amended) A method according to claim 14, further comprising: updating the actual position of the device every time the device changes base station based on a speed of the device.

Filed: May 6, 2005

Page 5

22. (Canceled)

- 23. (Currently amended) A method according to claim 22 14, wherein the calendar entry matches the actual time once only.
- 24. (Currently amended) A method according to claim 22 14, wherein the calendar entry matches the actual time repeatedly for a specified time unit.
- 25. (Previously Presented) A method according to claim 14, wherein storing the actual position of the device comprises receiving GPS signals.
- 26. (Previously Presented) A method according to claim 14, wherein storing the actual position of the device comprises receiving position information from a mobile telecommunication network.
- 27. (Previously Presented) A method according to claim 26, wherein the mobile telecommunication network uses EOTD (Enhanced Observed Time Difference) or OTDOA (Observed Time Difference On Arrival).
- 28. (Previously Presented) A method according to claim 14, wherein the device is a portable telephone, a pager, a communicator, a smart phone, a positioning device or an electronic organiser.